



Konsmith Electronic Technology Co.,Limited



Brass Nickel Gold Bronze



Bronze Sand Copper Chrome White Black

MODEL	M120 / M267FC-15
MATERIAL	Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	M120-YH667,M120-YH668
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	M120-MYH667A
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	M120-M268FC1 (M268FC2)
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Aluminum, Brass,
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M268FC5
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Aluminun, Brass,
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M268FC10
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Aluminum, Brass,
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS012 KS013 KS014
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC9,M120M267FC1
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Aluminun, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC3
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC7
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M100 (M120)-M2685
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M100 (M120)-ME27S-A
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass
CABLE TYPE	H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	M100 (M120) - YH668D (YH669D)
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	







MODEL	M120-M268FC8
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Aluminum, Brass, Chrome
CABLE TYPE	H03VV-F 2*0.75mm Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	






MODEL	M100 (M120)-M168FC1
MATERIAL	Brass
VOLTAGE	220V – 240V
SOCKET	E14
WATTAGE	Max 40W
COLOR	Brass
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M100 (M120)-M168FC2
MATERIAL	Brass
VOLTAGE	220V – 240V
SOCKET	E14
WATTAGE	Max 40W
COLOR	Brass
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M168FC5
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E14
WATTAGE	Max 25W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F 2*0.75mm Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL

KS002

MATERIAL

Plating iron or Aluminum

VOLTAGE

220V – 240V

SOCKET

E27

WATTAGE

Max 40W

COLOR

Black, Brass, Chrome

CABLE TYPE

H03VV-F Textile

ENERGY CLASS

A

IP CLASS

IP20

ENVIRONMENT

Indoor use



INCLUDE

Ceiling cup with terminal block

BULB

Not included

DIMENSIONS





MODEL	KS007
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E40
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS008
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-YH667 (YH668)
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-YH667A-BRASS
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS014
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS015
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS016
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS017
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	







MODEL	KS018 KS019
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	KS020
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	G9
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	DIY Lampholder
MATERIAL	Aluminum
VOLTAGE	220V – 240V
SOCKET	EU series
WATTAGE	
COLOR	Black,White,Gold
CABLE TYPE	H03VV-F with Textile
ENERGY CLASS	
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	








MODEL	DIY Ceiling cup
MATERIAL	Aluminum or Plastic
VOLTAGE	220V – 240V
SOCKET	EU series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	H03VV-F with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug
BULB	Not included
DIMENSIONS	







MODEL	P267FC-15
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black white.....
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	795
MATERIAL	plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black white.....
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	795 / P267FC-15
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	BK,RD,GY,BL,GN
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	M115 –YH269
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	BK,RD,GY,BL,GN
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	730 / P267FC-15
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Red, Green, Blue
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	730 / YH269
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Green, Grey, White, Red
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	115 / P267FC-15
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	BK,RD,GY,BL,GN
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	730 / P267FC-3
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	BK,RD,GY,BL,GN
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not includedd
DIMENSION	





MODEL	M100 (795)-S382
MATERIAL	silicon
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Red,
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	






MODEL	S825-S382A
MATERIAL	silicon
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Red,
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	795-380A
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	730-380
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	K1063.304/100/400+E14/392
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E14
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5m H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	G09,380A,G05,380,YH667B, YH669B,392,382
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	



MODEL	795, 720, 115, 730
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC6
MATERIAL	Marbel
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M2689
MATERIAL	Marbel
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black,White
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M2688
MATERIAL	Base Concrete
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Grey
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	






MODEL	M100-M2682 (M2683,M2684)
MATERIAL	Rubber wood,Talc+Cement
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Nature
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	






MODEL	WP-07-20
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27 20pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H03VH7-H
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug with socket
BULB	Not included
DIMENSIONS	





MODEL	WP-08-20
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27 20pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H03VV-F
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug with socket
BULB	Not included
DIMENSIONS	






MODEL	KS006
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	EU-303-M268FC/3
MATERIAL	cordset
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, Brass, Chrome
CABLE TYPE	3.5M, H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	K1063.MDX60A/PR01-E27
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5m H03VH7-H Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	






MODEL	K1063.MDX60A/303-E27
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5m H03VH7-H Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	SP-YH668B (YH667B,YH669B)
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5M, H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	SP-MDX(MDL)-M268FC5
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5M, H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	SP-MDX-YH669B
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5M, H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	SP-YH668B (YH667B,YH669B) SP-YH668A (YH667A,YH669A)
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	3.5M, H03VV-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	EU plug and cable hook
BULB	Not included
DIMENSIONS	





MODEL	TL001 TL002
MATERIAL	Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL004
MATERIAL	Aluminum or Marbel
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL007
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL008
MATERIAL	Rubber Wood
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Nature
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL009
MATERIAL	Rubber Wood
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Nature
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL010
MATERIAL	Rubber Wood
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Nature
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	






MODEL	TL016
MATERIAL	Rubber Wood
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Nature
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL017
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	TL018
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	TL020 TL021 TL022
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	TL023
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	TL024
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	CCW-02
MATERIAL	Rubber wood
Led	2835 led 250lm
Battery Data	1*18650 2200mAh.
Color:	White
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
ENVIRONMENT	Indoor use
IP class	IP20
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL	CCW-03
MATERIAL	Rubber wood
Led	G4 250lm
Battery Data	1*18650 2200mAh.
Color:	White
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
ENVIRONMENT	Indoor use
IP class	IP20
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL	CCW-04
MATERIAL	Rubber wood
VOLTAGE	220V – 240V
SOCKET	G9
WATTAGE	6W
COLOR	Natural
CABLE TYPE	H03VV H2-F 2C*0.75mm
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
Dimmer	Yes
BULB	Not included
DIMENSIONS	





MODEL	CCW-05
MATERIAL	Rubber wood
VOLTAGE	220V – 240V
SOCKET	AC LED Module
WATTAGE	3W
COLOR	Natural
CABLE TYPE	H03VV H2-F 2C*0.75mm
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
Dimmer	Yes
BULB	Not included
DIMENSIONS	





MODEL	CCW-06
MATERIAL	Rubber wood
Led	E27/G95 3.7V
Battery Data	1*18650 2200mAh.
Color:	Natue
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
ENVIRONMENT	Indoor use
IP class	IP20
Dimmer	Press ON/OFF Rotation dimmer





MODEL	CCW-07
MATERIAL	Rubber wood
Led	E27/G95 3.7V
Battery Data	1*18650 2200mAh.
Color:	Natue
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
ENVIRONMENT	Indoor use
IP class	IP20
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL	WL001
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	CL001
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	CL002
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120/3-268, M120/4-268
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27*3 E27*4
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	






MODEL	M100-E27/2-268
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27*2
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	



(1) x1



(2) x1






MODEL	795-E27/2-268
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27*2
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





(1) x1

MODEL	M100-E27/3-268
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27*3
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	795-E27/3-268
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E27*3
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-E14/3, M120-E14/4
MATERIAL	Metal
VOLTAGE	220V – 240V
SOCKET	E14*3 E14*4
WATTAGE	Max 40W
COLOR	White
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





Temporary lighting

92D1-S, 92D2-268, 92C1-268, PA8-268

MODEL

MATERIAL

COLOR

Plastic

Black, White,





Konsmith Electronic Technology Co.,Limited



MODEL
MATERIAL
VOLTAGE
SOCKET
WATTAGE
COLOR
CABLE TYPE
ENERGY CLASS
IP CLASS
ENVIRONMENT
INCLUDE
BULB
DIMENSIONS

Waterproof lampholder

E27 E14

Plastic

220V – 240V

E27

Max 40W

Black

H05RN-F 2C/1.0mm

IP44

Outdoor use

Not included



E27



E14





MODEL	IP44 EU plug & socket
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H05RN-F 2C/1.0mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	IP44 EU plug & socket
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H07RN-F 3C/1.5mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	IP44 UK plug & socket
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H05RN-F 2C/1.0mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	



Waterproof lampholder
WP05 pendant cordset

MODEL

MATERIAL

Plastic

VOLTAGE

220V – 240V

SOCKET

E27

WATTAGE

Max 40W

COLOR

Black

CABLE TYPE

H05RN-F 2C/1.0mm

ENERGY CLASS

IP CLASS

IP44

ENVIRONMENT

Outdoor use

INCLUDE

BULB

Not included

DIMENSIONS





MODEL	XD014-SYH266A
MATERIAL	Rubber cable
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H05RN-F 2C/1.0mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	XD014-WP05
MATERIAL	Rubber cable
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H05RN-F 2C/1.0mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	XD014-WP05
MATERIAL	Rubber cable
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	H05RN-F 2C/1.0mm
ENERGY CLASS	
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	
BULB	Not included
DIMENSIONS	





MODEL	WP-01-10
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27 10pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm






MODEL	WP-05-10
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27 10pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	WP-01A-10
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27 10pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm





Metal lamp shade

MODEL	WP-05A-10
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27 10pcs
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	10M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm



MODEL	WP-05, WP-05-M
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	3.5M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	WP-03, WP-03-LS
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	3.5M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 Schuko plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	M140-WP-05 IP44 pendant lamp
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	2.5M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 ceiling cup
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	795-WP-05 IP44 pendant lamp
MATERIAL	Plastic black
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	2.0M H05RN-F 2C/1.0mm
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 ceiling cup
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	WP-03-W
MATERIAL	Metal wall support
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	Wall cup with IP44 terminal block box
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	WP-05-W
MATERIAL	Metal wall support
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	Wall cup with IP44 terminal block box
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	WP-05-W-M
MATERIAL	Metal wall support
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	Wall cup with IP44 terminal block box
BULB	Not included
DIMENSIONS	H:87mm D:45mm





Waterproof lampholder

E12 E26

Plastic

250V 660W

E12 E26

Max 40W

Black

SJTW 2C/18AWG

IP44

Outdoor use

Not included





MODEL	M140-YH364A IP44 pendant lamp
MATERIAL	Plastic black
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	SJTW 2C/18AWG
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	IP44 ceiling cup
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	YH365A YH363A YH364A
MATERIAL	Metal wall support
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	Wall cup with IP44 terminal block box
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	YH468A YH466A YH467A
MATERIAL	Plastic
VOLTAGE	120V
SOCKET	E12
WATTAGE	Max 60W
COLOR	Black
CABLE TYPE	SJTW 2C/18AWG
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	UL plug or UL socket
BULB	Not included



The distance from UL plug to First E26 lampholder is 2M, and between two lampholder is 20cm; One end is UL waterproof socket; The cable is SJTW 2C/18AWG; The total length is 6M; There are 20 lampholders in total.



MODEL	YH365A YH363A YH364A
MATERIAL	Plastic
VOLTAGE	250V
SOCKET	E26
WATTAGE	Max 60W
COLOR	Black
CABLE TYPE	SJTW 2C/18AWG
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	UL plug or UL socket
BULB	Not included



The distance from UL plug to First E26 lampholder is 2M, and between two lampholder is 20cm; One end is UL waterproof socket; The cable is SJTW 2C/18AWG; The total length is 6M; There are 20 lampholders in total.



东莞市港茗电子科技有限公司

Konsmith Electronic Technology Co., Limited

www.konsmith.com Tony Leung 13829171135


Email: tonyleung@konsmith.com



Konsmith Electronic Technology Co., Limited



MODEL	SCCA
MATERIAL	Plastic
Bulb	STU45 led bulb 100lm
Battery Data	4*2000mAh.
Color:	Black
Charging port	Adaptor 5V DC
Operating time (fully charged)	approx. 8 hours
Charging time (USB - C)	approx. 4 hours
Charging time (solar cell)	(0-100%) approx 16 hours
Press switch Dimmer	NO, only ON/OFF
ENVIRONMENT	Outdoor use
IP class	IP44






MODEL	SCCA-1
MATERIAL	Plastic
Bulb	A60 led bulb 50lm
Battery Data	2*2000mAh.
Color:	Black
Charging port	Adaptor 5V DC
Operating time (fully charged)	approx. 8 hours
Charging time (USB - C)	approx. 4 hours
Charging time (solar cell)	(0-100%) approx 16 hours
Press switch Dimmer	NO, only ON/OFF
ENVIRONMENT	Outdoor use
IP class	IP44






MODEL	SCCA
MATERIAL	Plastic
Bulb	6 * 2835 led 100lm
Battery Data	18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 8 hours
Charging time (USB - C)	approx. 4 hours
Charging time (solar cell)	(0-100%) approx 16 hours
Press switch Dimmer	3 light settings (10%-40%-100%-OFF)
ENVIRONMENT	Outdoor use
IP class	IP44
The initial set is light sensitive mode. It will turn on at dusk And turn off after 5 hours automatically. The light will flick with a longpress on the button to delete the light sensitive mode.	






MODEL	SCCA-02
MATERIAL	Rubber wood
Led	6 * 2835 led 120lm
Battery Data	1*18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
DIMENSIONS	NO






MODEL	SCCA-04
MATERIAL	Rubber wood
Led	6 * 2835 led 120lm
Battery Data	1*18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
DIMENSIONS	NO






MODEL	SCCB
MATERIAL	Plastic
Bulb	E27 3.7V 120lm
Battery Data	18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 8 hours
Charging time (USB - C)	approx. 4 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
Press switch Dimmer	3 light settings (10%-40%-100%-OFF)



The initial set is light sensitive mode. It will turn on at dusk And turn off after 5 hours automatically. The light will flick with a longpress on the button to delete the light sensitive mode.



MODEL	SCCB-01
MATERIAL	Rubber wood
Bulb	E27 3.7V 120lm
Battery Data	1*18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL	SCCB-02
MATERIAL	Metal
Bulb	E27 3.7V 120lm
Battery Data	1*18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL	SCCB-03
MATERIAL	Metal
Bulb	E27 3.7V 120lm
Battery Data	1*18650 3.7V 2200mAh.
Color:	Black
Charging port	USB-C, 5V DC
Operating time (fully charged)	approx. 9 hours
Charging time (USB - C)	approx. 3.5 hours
Charging time (solar cell)	(0-100%) approx 16 hours
ENVIRONMENT	Outdoor use
IP class	IP44
Dimmer	3 light settings (10%-40%-100%-OFF)





MODEL

MATERIAL

Led

Battery Data

Color:

Charging port

Operating time
(fully charged)

Charging time
(USB - C)

Charging time
(solar cell)

Insulation Class

ENVIRONMENT

IP class

Touch Dimmer switch



SCCM-01

Plastic/Metal

2835 led 1.5W, 150lm

1*18650 2200mAh.

White/Black

USB-C, 5V DC

approx. 6 hours

approx. 3.5 hours

(0-100%) approx 12 hours


Class III

Outdoor use

IP44

3 light settings

(10%-40%-100%-OFF)





MODEL

MATERIAL

Led

Battery Data

Color:

Charging port

Operating time
(fully charged)

Charging time
(USB - C)

Charging time
(solar cell)

Insulation Class

ENVIRONMENT

IP class

Pull switch



SCCM-01

Plastic/Iron base

2835 led 1.5W,80lm

1*18650 2200mAh.

White/Black

USB-C, 5V DC

approx. 6 hours

approx. 3.5 hours

(0-100%) approx 12 hours

Class III

Outdoor use

IP44

3 light settings

(10%-40%-100%-RGB-OFF)





MODEL

MATERIAL

Led

Battery Data

Color:

Charging port

Operating time
(fully charged)

Charging time
(USB - C)

Charging time
(solar cell)

Insulation Class

ENVIRONMENT

IP class

Pull switch



SCCM-02

Plastic/Metal

2835 led 1.5W,80lm

1*18650 2200mAh.

White/Black

USB-C, 5V DC

approx. 6 hours

approx. 3.5 hours

(0-100%) approx 12 hours

Class III


Outdoor use

IP44

3 light settings

(10%-40%-100%-OFF)

IP44
💧





东莞市港茗电子科技有限公司

Konsmith Electronic Technology Co., Limited

www.konsmith.com Tony Leung 13829171135

Email: tonyleung@konsmith.com



MODEL	Wall lamp (only design)
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	E27 or E14
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	






MODEL	M120-YH365A (YH363A,YH364A)
MATERIAL	Painting iron
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	2M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	M120-M268FC5 UL
MATERIAL	Plating iron or Aluminum
VOLTAGE	220V – 240V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	2M, SVT 18AWG/2C Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M2685 (M267FC2)
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26 UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	SVT with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M2685 (M267FC2)
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26 UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	SVT with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M268FC9 (M268FC5)
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26 UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	SVT with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup
BULB	Not included
DIMENSIONS	





US standard
Ceiling cup with terminal block
SVT 2C/18AWG with textile
E26 lampholder






MODEL	M120-M268FC4
MATERIAL	Brass
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Brass
CABLE TYPE	2M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	






MODEL	M120-M268FC11
MATERIAL	Brass
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Brass
CABLE TYPE	2M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M168FC1
MATERIAL	Brass
VOLTAGE	100V – 120V
SOCKET	E12
WATTAGE	Max 40W
COLOR	Brass
CABLE TYPE	2M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC3
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	2M, SVT 18AWG/2C Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	YXE26-xx
MATERIAL	Plastic
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 60W
COLOR	Black
CABLE TYPE	SJTW 2C/18AWG
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	UL plug or UL socket
BULB	Not included



The distance from UL plug to First E26 lampholder is 2M, and between two lampholder is 20cm; One end is UL waterproof socket; The cable is SJTW 2C/18AWG; The total length is 6M; There are 20 lampholders in total.



MODEL	YXE26
MATERIAL	Plastic
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	SJTW 2C/18AWG
ENERGY CLASS	A
IP CLASS	IP44
ENVIRONMENT	Outdoor use
INCLUDE	UL plug
BULB	Not included





MODEL	UL-303-YH364A
MATERIAL	Cordset
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	4.5M UL1015 18# Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	plug with switch
BULB	Not included
DIMENSIONS	





MODEL	UL-303 (OJ339)-YH364A
MATERIAL	Cordset
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black
CABLE TYPE	4.5M UL1015 18# Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	plug with switch
BULB	Not included
DIMENSIONS	





MODEL	UL-303/LL002-xxx
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26 UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	UL1015 with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	UL plug
BULB	Not included
DIMENSIONS	




[illegible]

UL plug with SPT-2 2C/18AWG with textile



MODEL	UL-M267FC13
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	3.5M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	UL plug
BULB	Not included
DIMENSIONS	H:87mm D:45mm





MODEL	DIY Cordset
MATERIAL	Plastic
VOLTAGE	100V – 120V
SOCKET	UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	SPT-2 SVT with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	UL plug
BULB	Not included
DIMENSIONS	





MODEL	UL-303-xxx
MATERIAL	Plastic
VOLTAGE	100V – 120V
SOCKET	E26 UL series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	SPT-2 SVT with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	UL plug
BULB	Not included
DIMENSIONS	





MODEL	YH778 YH777
MATERIAL	YH888 YH887
VOLTAGE	Plastic
SOCKET	125V 1A
WATTAGE	E17 E26 PSE Japan series
COLOR	Black,White,Gold,
CABLE TYPE	VSF with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	






MODEL	Cordset Pendant
MATERIAL	Plastic
VOLTAGE	100V – 120V
SOCKET	PSE Japan series
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	VSF with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Japan plug
BULB	Not included
DIMENSIONS	





MODEL	M120-M268FC4 PSE
MATERIAL	Brass
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	2M, SVT 2C/18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M267FC3 PSE
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Chrome Brass
CABLE TYPE	2M, HVCTFK 2*0.75mm Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M120-M268FC8 PSE
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	E17
WATTAGE	Max 40W
COLOR	Chrome Brass
CABLE TYPE	2M, HVCTFK 2*0.75mm Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	P795-M268FC5 PSE
MATERIAL	Aluminum
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	Black, White, Brass, Chrome
CABLE TYPE	2M, UL1015 18AWG Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Ceiling cup with terminal block
BULB	Not included
DIMENSIONS	





MODEL	M115-PSE-306 CPO
MATERIAL	Plating iron
VOLTAGE	100V – 120V
SOCKET	E26
WATTAGE	Max 40W
COLOR	BLACK
CABLE TYPE	HRF 2*0.75mm Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	PSE connect box
BULB	Not included
DIMENSIONS	





MODEL	KC-304-M268FC5
MATERIAL	Plating iron or Aluminur
VOLTAGE	100V – 120V
SOCKET	Korea series E14 E26
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	H03VV H2-F with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Korea KC plug
BULB	Not included
DIMENSIONS	






MODEL	KC001-3 M120-M268FC1
MATERIAL	Plating iron or Aluminum
VOLTAGE	100V – 120V
SOCKET	Korea series E14 E26
WATTAGE	
COLOR	Black,White,Gold,
CABLE TYPE	H03VV-F with Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Korea KC plug
BULB	Not included
DIMENSIONS	





MODEL
MATERIAL
VOLTAGE
SOCKET
WATTAGE
COLOR
CABLE TYPE
ENERGY CLASS
IP CLASS
ENVIRONMENT
INCLUDE
BULB
DIMENSIONS

Switch
Plastic
220V – 240V
EU UK series
Black, White,
H03VV H2-F
A
IP20
Indoor use
Not included



HERO-1



CQC TUV ETL

Rock switch





Semko



Press switch


ENEC
UL



Pull switch
Semko

ENEC


UL





MODEL
MATERIAL
COLOR

Lighting component
Plastic
Black,White,Gold,





MODEL	DIY Plug
MATERIAL	Plastic
VOLTAGE	220V – 240V
SOCKET	EU UK series
WATTAGE	
COLOR	Black,White
CABLE TYPE	H03VV H2-F
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	






MODEL
MATERIAL
VOLTAGE
SOCKET
Power
COLOR
CABLE TYPE
ENERGY CLASS
IP CLASS
ENVIRONMENT
INCLUDE
BULB
DIMENSIONS

Dimmder Switch
Plastic
100V – 240V
2-100W
Black,White,
H03VV H2-F
A
IP20
Indoor use
Not included





MODEL	Dimmder Switch
MATERIAL	Plastic
VOLTAGE	100V – 240V
SOCKET	
Power	2-60W
COLOR	Black,White,
CABLE TYPE	H03VV H2-F
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	
BULB	Not included
DIMENSIONS	






MODEL	Dimmer switch with socket cordset
MATERIAL	
VOLTAGE	220V – 240V
SOCKET	E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	1.5m, H03VV H2-F Textile
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	





MODEL	ON/OFF switch with cordset
MATERIAL	PC
VOLTAGE	220V – 240V
SOCKET	G9 E14 E27
WATTAGE	Max 40W
COLOR	Black, White
CABLE TYPE	H03VV H2-F,H03VV-F
ENERGY CLASS	A
IP CLASS	IP20
ENVIRONMENT	Indoor use
INCLUDE	Dimmer switch
BULB	Not included
DIMENSIONS	



AC plug



PSE Class I
SEMKO approval
Europe




KMP-22
C7 八字母插
VDE approval
UL approval
Europe



92C1 Class II
SEMKO approval
Europe




EL-706
C7 八字公插
ENEC approval
Europe



92D2 Class II
SEMKO approval
Europe



KMP-24
C13 品字母插
VDE approval
Europe



92D1 Class I
SEMKO approval
Europe



KMP-33
C5 梅花母插
VDE approval
Europe



SY-21
IMQ approval
ITALY



KMP-40
SII approval
ISRAEL

AC plug



K1063 / KMP-21
ENEC approval
Europe



KMP-51
CCC approval
China



KMP-23
VDE approval
KC approval
Europe / KOREA



KMP-52
CCC approval
China



KMP-25
VDE approval
Europe



KMP-01P
UL approval
USA



KMP-80
KC approval
KOREA



KMP-02
UL approval
USA



KMP-106
PSE approval
Japan



1906 / KMP-88
BSI approval
UKCA approval
England

AC plug



KMP-12
SAA approval
Australia



RP-015 IP44
DEKRA approval
Europe



KMP-13
SAA approval
Australia



RP-002 IP44
DEKRA approval
Europe



KMP-91
S + approval
Switzerland



KMP-93 IP44
S + approval
Switzerland



KMP-65
UC approval
INMETRO
Brazil / South Africa



KMP-71
SABS approval
South Africa



KMP-66
UC approval
INMETRO
Brazil / South Africa



KMP-72
SABS approval
South Africa

DC or AC plug cable assembly



DC plug



5521 母插



5521 公插



5521 防拉母插




5521 防拉公插



5525 母插



5525 公插





01 公插



01 防水公插



防水公母插



Textile

编织线



















































Insert cable: H03VH2-F 2 core, H03V-F 2 core, H03V-F 3 core, etc.
SPT-1/SM-01, SPT-2/SM-02, SPT-3/SM-03, SVT/SM-04, SJT/SM-05, ST/SM-06

	D001		D002		D003		D004		D005
	D006		D007		D008		D009		D010
	D011		D012		D013		D014		D015
	D016		D017		D018		D019		D020
	D021		D022		D023		D024		D025
	D026		D027		D028		D029		D030
	D031		D032		D033		D034		D035
	D036		D037		D038		D039		D040
	D041		D042		D043		D044		D045
	D046		D047		D048		D049		D050
	D051		D052		D053		D054		D055
	D056		D057		D058		D059		D060
	D061		D062		D063		D064		D065
	D066		D067		D068		D069		D070
	D071		D072		D073		D074		D075
	D076		D077		D078		D079		D080
	D081		D082		D083		D084		D085
	D086		D087		D088		D089		D090
	D091		D092		D093		D094		D095
	D096		D097		D098		D099		D100

Textile 编织线












	WD001		WD002		WD003		WD004		WD005
	WD006		WD007		WD008		WD009		WD010
	WD011		WD012		WD013		WD014		WD015
	WD016		WD017						
	MH001		MH002		MH003		MH004		MH005
	MH006		MH007		MH008		MH009		MH010
	MH011		MH012		MH013		MH014		MH015
	MH016		MH017		MH018		MH019		MH020
	MH021		MH022		MH023		MH024		MH025
	MH026		MH027		MH028		MH029		MH030
	MH031		MH032		MH033		MH034		MH035
	MH036		MH037		MH038		MH039		MH040
	MH041		MH042		MH043		MH044		MH049
	MH054		MH063		MH064		MH065		MH066
	MH070		MH071		MH072		L001		L002
	L003		L004		L005		L006		D253
	D254		D255		D256		D257		D258
	D258		D259		MH067		MH068		MH069

Textile 编织线



Insert cable: H03VVH2-F 2 core, H03VV-F 2 core, H03VV-F 3 core, etc.
SPT-1/SM-01, SPT-2/SM-02, SPT-3/SM-03, SVT/SM-04, SIT/SM-05, ST/SM-06

				
D101	D102	D103	D104	D105
				
D106	D107	D108	D109	D110
				
D111	D112			
				
HB001	HB002	HB003	HB004	HB005
				
HB006	HB007	HB008	HB009	HB010
				
HB011	HB012	HB013	HB014	HB015
				
HB016	HB017	HB018	HB019	HB020
				
HB021	HB022	HB023	HB024	HB025
				
HB026	HB027	HB028	HB029	HB030
				
HB031	HB032	HB033	HB034	HB035
				
HB036	HB037	HB038	HB039	HB040
				
HB041	HB042	HB043	HB044	HB045
				
HB046	HB047	HB048	HB049	HB050
				
HB051	HB052	HB053		
				
MD001	MD002	MD003	MD004	MD005
				
MD006	MD007	MD008	MD009	MD010
				
MD011	MD012	MD013	MD014	MD015
				
MD016	MD017	MD018	MD019	MD020
				
MD021	MD022	MD023	MD024	MD025
				
MD026	MD027	MD028	MD029	MD030



东莞市港茗电子科技有限公司

Konsmith Electronic Technology Co., Limited

www.konsmith.com Tony Leung 13829171135

Email: tonyleung@konsmith.com